


You inspire ... we materialize®

# Product Reference Chart

Quadrant Engineering  
Plastic Products



QUADRANT

# Advanced Engineering Plastics

| Quadrant Brand            | Colour  | Chemical Acronym                | Polymer Group  |
|---------------------------|---|---------------------------------|--|
| <b>Duratron®</b>          |   |                                 |  |
| Duratron® CU60 PBI        | black   | PBI                             | Polybenzimidazole  |
| Duratron® U1000 PEI       | amber translucent   | PEI                             | Polyetherimide   |
| Duratron® U2300 PEI       | natural   | PEI                             | Polyetherimide, 30% glass-reinforced   |
| Duratron® LSG PEI         | amber translucent   | PEI LSG                         | Polyetherimide Life Science Grade  |
| Duratron® D7000 PI        | natural (chestnut)  | PI                              | Polyimide  |
| Duratron® D7015G PI       | grey-black  | PI                              | Polyimide + graphite   |
| Duratron® T4203 PAI       | yellow-ochre  | PAI                             | Polyamide-imide  |
| Duratron® T4301 PAI       | black   | PAI + graphite + PTFE           | Polyamide-imide + graphite + Polytetrafluoroethylene                         |
| Duratron® T4501 PAI       | black   | PAI + graphite + PTFE           | Polyamide-imide + graphite + Polytetrafluoroethylene                         |
| Duratron® T4503 PAI       | yellow-ochre  | PAI                             | Polyamide-imide  |
| Duratron® T5530 PAI       | black   | PAI GF30                        | Polyamide-imide + 30% glass fibre  |
| <b>Fluorosint®</b>        |   |                                 |  |
| Fluorosint® 135           | black   | PTFE + additives                | Polytetrafluoroethylene + additives  |
| Fluorosint® 207           | white   | PTFE + mica                     | Polytetrafluoroethylene + synthetic mica                                     |
| Fluorosint® 500           | ivory   | PTFE + mica                     | Polytetrafluoroethylene + synthetic mica                                     |
| Fluorosint® HPV           | tan   | PTFE + additives                | Polytetrafluoroethylene + additives  |
| Fluorosint® MT-01         | dark grey   | PTFE + additives                | Polytetrafluoroethylene + additives  |
| <b>Ketron®</b>            |   |                                 |  |
| Ketron® 1000 PEEK         | natural (brownish-grey), black                                | PEEK                            | Polyetheretherketone   |
| Ketron® CA30 PEEK         | black   | PEEK CA30                       | Polyetheretherketone + 30% carbon fibre                                      |
| Ketron® MD PEEK           | blue  | PEEK MD                         | Polyetheretherketone + metal detectable additive                             |
| Ketron® TX PEEK           | blue  | PEEK TX                         | Polyetheretherketone + solid lubricant                                       |
| Ketron® GF30 PEEK         | natural (brownish-grey)                                       | PEEK GF30                       | Polyetheretherketone + 30% glass fibre                                       |
| Ketron® HPV PEEK          | black   | PEEK HPV + CF + PTFE + graphite | Polyetheretherketone + carbon fibre + Polytetrafluoroethylene + graphite     |
| Ketron® CC PEEK           | black   | PEEK CC                         | Polyetheretherketone carbon fibre reinforced                                 |
| Ketron® CLASSIX™ LSG PEEK | white   | PEEK LSG                        | Polyetheretherketone Life Science Grade (Resin Invibio® PEEK-CLASSIX™ White) |
| Ketron® LSG PEEK          | natural (brownish-grey), black, blue, red, green              | PEEK LSG                        | Polyetheretherketone Life Science Grade                                      |
| Ketron® LSG CA30 PEEK     | black   | PEEK CA30 LSG                   | Polyetheretherketone + 30% carbon fibre Life Science Grade                   |
| Ketron® LSG GF30 PEEK     | blue  | PEEK GF30 LSG                   | Polyetheretherketone + 30% glass fibre Life Science Grade                    |
| Ketron® LSG CC PEEK       | black   | PEEK CC LSG                     | Polyetheretherketone carbon fibre reinforced Life Science Grade              |
| <b>Quadrant®</b>          |   |                                 |  |
| Quadrant® 1000 PSU        | natural (yellow translucent)                                  | PSU                             | Polysulfone  |
| Quadrant® LSG PSU         | natural (yellow translucent)                                  | PSU LSG                         | Polysulfone Life Science Grade   |
| Quadrant® LSG PPSU        | natural, black, blue, green, grey, red, orange, yellow, brown | PPSU LSG                        | Polyphenylsulfone Life Science Grade   |
| <b>Techtron®</b>          |   |                                 |  |
| Techtron® PPS             | natural   | PPS                             | Polyphenylene Sulfide  |
| Techtron® HPV PPS         | blue  | PPS HPV                         | Polyphenylene Sulfide + solid lubricant                                      |
| Techtron® GF40 PPS        | black   | PPS                             | Polyphenylene Sulfide + 40% glass fibre                                      |
| <b>Semitron®</b>          |   |                                 |  |
| Semitron® ESd 225         | tan   | POM-H                           | static dissipative Polyoxymethylene  |
| Semitron® ESd 410C        | black   | PEI                             | static dissipative Polyetherimide  |
| Semitron® ESd 500HR       | white   | PTFE                            | static dissipative Polytetrafluoroethylene                                   |
| Semitron® ESd 520HR       | khaki grey  | PAI                             | static dissipative Polyamide-imide   |
| Semitron® 480             | black   | PEEK                            | static dissipative Polyetheretherketone                                      |
| Semitron® 490HR           | black   | PEEK                            | static dissipative Polyetheretherketone                                      |
| Semitron® MPR1000         | natural (grey)  | PAI                             | static dissipative Polyamide-imide + additives                               |

| Quadrant Brand            | Food       |       |           | Aerospace | Medical | Oil & Gas | Railway |
|---------------------------|------------|-------|-----------|-----------|---------|-----------|---------|
|                           | EU 10/2011 | FDA   | 3-A-Dairy |           |         |           |         |
| <b>Duratron®</b>          |            |       |           |           |         |           |         |
| Duratron® CU60 PBI        |            |       |           | ●         |         | ●         |         |
| Duratron® U1000 PEI       |            | ●     |           | ●         |         |           | ●       |
| Duratron® U2300 PEI       |            |       |           | ●         |         |           | ●       |
| Duratron® LSG PEI         |            | ●     |           |           | ●       |           |         |
| Duratron® D7000 PI        |            |       |           | ●         |         |           |         |
| Duratron® D7015G PI       |            |       |           | ●         |         |           |         |
| Duratron® T4203 PAI       |            |       |           | ●         |         |           |         |
| Duratron® T4301 PAI       |            |       |           | ●         |         | ●         |         |
| Duratron® T4501 PAI       |            |       |           | ●         |         | ●         |         |
| Duratron® T4503 PAI       |            |       |           | ●         |         |           |         |
| Duratron® T5530 PAI       |            |       |           | ●         |         |           |         |
| <b>Fluorosint®</b>        |            |       |           |           |         |           |         |
| Fluorosint® 135           |            |       |           | ●         |         | ●         |         |
| Fluorosint® 207           |            | ●     |           | ●         |         |           |         |
| Fluorosint® 500           |            |       |           | ●         |         | ●         |         |
| Fluorosint® HPV           |            | ●     |           | ●         |         |           |         |
| Fluorosint® MT-01         |            |       |           | ●         |         | ●         |         |
| <b>Ketron®</b>            |            |       |           |           |         |           |         |
| Ketron® 1000 PEEK         | ●          | ●     | ● (1)     | ●         |         | ●         | ●       |
| Ketron® CA30 PEEK         |            |       |           | ●         |         | ●         | ●       |
| Ketron® MD PEEK           | ●          | ●     |           |           |         |           |         |
| Ketron® TX PEEK           | ●          | ●     |           | ●         |         |           |         |
| Ketron® GF30 PEEK         |            |       | ●         | ●         |         |           | ●       |
| Ketron® HPV PEEK          |            |       |           | ●         |         | ●         | ●       |
| Ketron® CC PEEK           |            |       |           | ●         |         |           | ●       |
| Ketron® CLASSIX™ LSG PEEK |            | ●     |           |           | ●       |           |         |
| Ketron® LSG PEEK          | ●          | ●     | ● (1)     |           | ●       |           |         |
| Ketron® LSG CA30 PEEK     |            |       |           |           | ●       |           |         |
| Ketron® LSG GF30 PEEK     |            |       |           |           | ●       |           |         |
| Ketron® LSG CC PEEK       |            |       |           |           | ●       |           |         |
| <b>Quadrant®</b>          |            |       |           |           |         |           |         |
| Quadrant® 1000 PSU        |            | ●     | ●         | ●         |         |           |         |
| Quadrant® LSG PSU         |            | ●     | ●         |           | ●       |           |         |
| Quadrant® LSG PPSU        | ● (2)      | ● (3) |           |           | ●       |           |         |
| <b>Techtron®</b>          |            |       |           |           |         |           |         |
| Techtron® PPS             |            | ●     |           | ●         |         |           | ●       |
| Techtron® HPV PPS         | ●          | ●     |           | ●         |         | ●         |         |
| Techtron® GF40 PPS        |            |       |           | ●         |         |           |         |
| <b>Semitron®</b>          |            |       |           |           |         |           |         |
| Semitron® ESd 225         |            |       |           |           |         |           |         |
| Semitron® ESd 410C        |            |       |           |           |         |           |         |
| Semitron® ESd 500HR       |            |       |           |           |         |           |         |
| Semitron® ESd 520HR       |            |       |           |           |         |           |         |
| Semitron® 480             |            |       |           |           |         |           |         |
| Semitron® 490HR           |            |       |           |           |         |           |         |
| Semitron® MPR1000         |            |       |           |           |         |           |         |

(1) = natural colour (2) = black colour (3) = natural, black, grey, red

# General Engineering Plastics

| Quadrant Brand               | Colour  | Chemical Acronym       | Polymer Group   |
|------------------------------|---|------------------------|---|
| <b>Ertacetal® / Acetron®</b> |   |                        |   |
| Acetron® LSG POM-C           | natural, black  | POM-C LSG              | Polyoxymethylene Copolymer Life Science Grade                 |
| Acetron® MD POM-C            | blue  | POM-C + MD             | Polyoxymethylene Copolymer + metal detectable additive        |
| Ertacetal® C POM-C           | natural, black, blue, green, brown, grey, orange, red, yellow | POM-C                  | Polyoxymethylene Copolymer                                    |
| Ertacetal® C ELS POM-C       | black   | POM-C ELS              | Polyoxymethylene Copolymer electrical sensitive               |
| Ertacetal® C LQ POM-C        | natural   | POM-C                  | Polyoxymethylene Copolymer + color additive                   |
| Ertacetal® H POM-H           | natural, black  | POM-H                  | Polyoxymethylene Homopolymer                                  |
| Ertacetal® H-TF POM-H        | deep brown  | POM-H + PTFE           | Polyoxymethylene Homopolymer + Polytetrafluoroethylene        |
| <b>Ertalon® / Nylatron®</b>  |   |                        |   |
| Ertalon® 4.6 PA4.6           | reddish brown   | PA 4.6                 | Polyamide 4.6   |
| Ertalon® 6 PLA PA6           | natural, black, blue  | PA 6 PLA               | Polyamide 6 cast  |
| Ertalon® 6 SA PA6            | natural, black  | PA 6 SA                | Polyamide 6   |
| Ertalon® 6 XAU+ PA6          | black   | PA 6 XAU+              | Polyamide 6 cast heat stabilized                              |
| Ertalon® 66 SA PA66          | natural, black  | PA 66 SA               | Polyamide 66  |
| Ertalon® 66-GF30 PA66        | black   | PA 66 GF 30            | Polyamide 66 + 30% glass fiber reinforced and heat stabilized |
| Ertalon® LFX PA6             | green, black  | PA 6 LFX               | Polyamide 6 + solid lubricant                                 |
| Nylatron® 66 SA FR PA66      | black   | PA 66 SA FR            | Polyamide 66 Flame retardant                                  |
| Nylatron® FST PA66           | natural   | PA 66 FST              | Polyamide 66 Flame, Smoke, Toxicity retardant                 |
| Nylatron® 703 XL PA6         | purple  | PA 6 703 XL            | Polyamide 6 cast + internal lubricants                        |
| Nylatron® GS PA66            | grey-black  | PA 66 MoS <sub>2</sub> | Polyamide 66 + Molybdenum Disulfide                           |
| Nylatron® GSM PA6            | grey-black  | PA 6 MoS <sub>2</sub>  | Polyamide 6 cast + Molybdenum Disulfide                       |
| Nylatron® SLG PA6            | blue  | PA 6 SLG               | Polyamide 6 cast Self-lubricating Grade                       |
| Nylatron® MC 901 PA6         | blue  | PA 6 MC 901            | Polyamide 6 cast modified                                     |
| Nylatron® MD PA6             | dark blue   | PA 6 MD                | Polyamide 6 + metal detectable additive                       |
| Nylatron® NSM PA6            | grey  | PA 6 NSM               | Polyamide 6 cast + solid lubricant                            |
| Nylatron® RIM PA6            | black   | PA 6                   | Polyamide 6   |
| <b>Ertalyte®</b>             |   |                        |   |
| Ertalyte® PET-P              | natural, black  | PET-P                  | Polyethylene Terephthalate                                    |
| Ertalyte® TX PET-P           | pale-grey   | PET-P TX               | Polyethylene Terephthalate + solid lubricant                  |
| <b>Quadrant®</b>             |   |                        |   |
| Quadrant® 1000 PC            | natural (transparent)   | PC                     | Polycarbonate non-UV-stabilized                               |
| Quadrant® LSG PC             | natural (transparent)   | PC LSG                 | Polycarbonate non-UV-stabilized Life Science Grade            |
| Quadrant® 1055 TPE           | natural   | TPE                    | Thermoplastic Copolyester Polymer                             |

| Quadrant Brand               | Food       |      |           | Aerospace | Medical | Oil & Gas | Railway |
|------------------------------|------------|------|-----------|-----------|---------|-----------|---------|
|                              | EU 10/2011 | FDA  | 3-A-Dairy |           |         |           |         |
| <b>Ertacetal® / Acetron®</b> |            |      |           |           |         |           |         |
| Acetron® LSG POM-C           |            |      |           |           | ●       |           |         |
| Acetron® MD POM-C            | ●          | ●    | ●         |           |         |           |         |
| Ertacetal® C POM-C           | ●(1)       | ●(1) |           |           |         | ●         | ●       |
| Ertacetal® C ELS POM-C       |            |      |           |           |         |           |         |
| Ertacetal® C LQ POM-C        | ●          | ●    |           |           |         |           |         |
| Ertacetal® H POM-H           |            |      |           |           |         |           |         |
| Ertacetal® H-TF POM-H        |            |      |           |           |         |           |         |
| <b>Ertalon® / Nylatron®</b>  |            |      |           |           |         |           |         |
| Ertalon® 4.6 PA4.6           |            |      |           |           |         |           |         |
| Ertalon® 6 PLA PA6           | ●(3)       | ●(3) |           |           |         |           | ●       |
| Ertalon® 6 SA PA6            | ●(2)       | ●(2) |           |           |         |           |         |
| Ertalon® 6 XAU+ PA6          |            |      |           |           |         |           | ●       |
| Ertalon® 66 SA PA66          | ●(2)       | ●(2) |           | ●         |         |           |         |
| Ertalon® 66-GF30 PA66        |            |      |           | ●         |         |           | ●       |
| Ertalon® LFX PA6             |            |      |           |           |         |           | ●       |
| Nylatron® 66 SA FR PA66      |            |      |           |           |         |           | ●       |
| Nylatron® FST PA66           |            |      |           | ●         |         |           |         |
| Nylatron® 703 XL PA6         |            |      |           |           |         |           | ●       |
| Nylatron® GS PA66            |            |      |           |           |         |           | ●       |
| Nylatron® GSM PA6            |            |      |           | ●         |         |           | ●       |
| Nylatron® SLG PA6            |            |      |           |           |         |           |         |
| Nylatron® MC 901 PA6         |            |      |           |           |         | ●         |         |
| Nylatron® MD PA6             | ●          | ●    | ●         |           |         |           |         |
| Nylatron® NSM PA6            |            |      |           |           |         |           | ●       |
| Nylatron® RIM PA6            |            |      |           |           |         |           | ●       |
| <b>Ertalyte®</b>             |            |      |           |           |         |           |         |
| Ertalyte® PET-P              | ●          | ●    |           |           |         |           |         |
| Ertalyte® TX PET-P           | ●          | ●    |           |           |         | ●         |         |
| <b>Quadrant®</b>             |            |      |           |           |         |           |         |
| Quadrant® 1000 PC            |            | ●    |           |           |         |           |         |
| Quadrant® LSG PC             |            | ●    |           |           | ●       |           |         |
| Quadrant® 1055 TPE           |            | ●    |           |           |         |           | ●       |

(1) = natural, blue, black; other colours FDA compliant only  
(2) = natural  
(3) = natural and blue

# Polyethylene / Polypropylene

| Quadrant Brand                      | Colour                                   | Chemical Acronym           | Polymer Group   |
|-------------------------------------|--|----------------------------|---|
| <b>Proteus®</b>                     |  |                            |   |
| Proteus® LSG H PP                   | natural                                  | PP                         | Polypropylene   |
| <b>TIVAR®</b>                       |  |                            |   |
| TIVAR® 1000 UHMW-PE                 | natural, black, green, red, yellow, blue | UHMW-PE                    | Ultra High Molecular Weight Polyethelene  |
| TIVAR® 1000 UV resistant UHMW-PE    | black                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® 1000 anti-microbial UHMW-PE  | white                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® 1000 antistatic UHMW-PE      | black                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® 1000 ASTL UHMW-PE            | black                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® 1000 EC UHMW-PE              | black                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives (Electrical Conductivity)      |
| TIVAR® 88 UHMW-PE                   | blue                                     | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® 88-2                         | blue                                     | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® BlueLine                     | light blue                               | UHMW-PE                    | Ultra High Molecular Weight Polyethelene  |
| TIVAR® Burnguard UHMW-PE            | black with silver spots                  | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + flame retardant + additives              |
| TIVAR® Ceram P UHMW-PE              | yellow-green                             | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + micro glass beads                        |
| TIVAR® CleanStat UHMW-PE            | black                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® CleanStat White UHMW-PE      | white                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® DrySlide UHMW-PE             | black                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + solid lubricant                          |
| TIVAR® Cestidur UHMW-PE             | grey                                     | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® DS UHMW-PE                   | yellow                                   | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| TIVAR® ECO black antistatic UHMW-PE | black                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene, reprocessed                               |
| TIVAR® ECO green UHMW-PE            | green                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene, reprocessed                               |
| TIVAR® H.O.T. UHMW-PE               | white                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives (Higher Operating Temperature) |
| TIVAR® HPV UHMW-PE                  | blue                                     | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + solid lubricant                          |
| TIVAR® MD UHMW-PE                   | blue                                     | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + metal detectable additive                |
| TIVAR® OilFilled UHMW-PE            | grey                                     | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + solid lubricant                          |
| TIVAR® SuperPlus UHMW-PE            | grey                                     | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives, partially cross-linked        |
| TIVAR® TECH UHMW-PE                 | grey-black                               | UHMW-PE + MoS <sub>2</sub> | Ultra High Molecular Weight Polyethelene + Molybdenum Disulfide                     |
| TIVAR® Cestigreen UHMW-PE           | green                                    | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| <b>QuickSilver®</b>                 |  |                            |   |
| QuickSilver®                        | silver-grey                              | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + additives                                |
| <b>Chirulen®</b>                    |  |                            |   |
| Chirulen® 1020                      | natural                                  | UHMW-PE                    | Ultra High Molecular Weight Polyethelene (medical grade)                            |
| Chirulen® 1050                      | natural                                  | UHMW-PE                    | Ultra High Molecular Weight Polyethelene (medical grade)                            |
| <b>Extrulen™</b>                    |  |                            |   |
| Extrulen™ 1020                      | natural                                  | UHMW-PE                    | Ultra High Molecular Weight Polyethelene (medical grade)                            |
| Extrulen™ 1050                      | natural                                  | UHMW-PE                    | Ultra High Molecular Weight Polyethelene (medical grade)                            |
| <b>PE 500</b>                       |  |                            |   |
| PE 500                              | natural, black, green, red, yellow, blue | HMW-PE                     | High Molecular Weight Polyethelene  |
| <b>Borotron®</b>                    |  |                            |   |
| Borotron® HM015 HMW-PE              | natural                                  | HMW-PE                     | High Molecular Weight Polyethelene + 1,5% Boric Oxide                               |
| Borotron® HM030 HMW-PE              | natural                                  | HMW-PE                     | High Molecular Weight Polyethelene + 3% Boric Oxide                                 |
| Borotron® HM050 HMW-PE              | natural                                  | HMW-PE                     | High Molecular Weight Polyethelene + 5% Boric Oxide                                 |
| Borotron® UH015 UHMW-PE             | natural                                  | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + 1,5% Boric Oxide                         |
| Borotron® UH030 UHMW-PE             | natural                                  | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + 3% Boric Oxide                           |
| Borotron® UH050 UHMW-PE             | natural                                  | UHMW-PE                    | Ultra High Molecular Weight Polyethelene + 5% Boric Oxide                           |

| Quadrant Brand                      | Food       |      |           | Aerospace | Medical | Linings | Oil & Gas | Railway |
|-------------------------------------|------------|------|-----------|-----------|---------|---------|-----------|---------|
|                                     | EU 10/2011 | FDA  | 3-A-Dairy |           |         |         |           |         |
| Proteus®                            |            |      |           |           |         |         |           |         |
| Proteus® LSG H PP                   |            | ●    | ●         |           |         |         |           |         |
| TIVAR®                              |            |      |           |           |         |         |           |         |
| TIVAR® 1000 UHMW-PE                 | ●(1)       | ●(1) | ●(3)      |           |         |         | ●         | ●       |
| TIVAR® 1000 UV resistant UHMW-PE    |            |      |           |           |         |         |           |         |
| TIVAR® 1000 anti-microbial UHMW-PE  |            |      |           |           |         |         |           |         |
| TIVAR® 1000 antistatic UHMW-PE      | ●          |      |           |           |         |         |           |         |
| TIVAR® 1000 ASTL UHMW-PE            | ●          |      |           |           |         |         |           |         |
| TIVAR® 1000 EC UHMW-PE              | ●          | ●    |           |           |         |         |           |         |
| TIVAR® 88 UHMW-PE                   |            |      |           |           |         | ●       |           |         |
| TIVAR® 88-2                         |            |      |           |           |         | ●       |           |         |
| TIVAR® BlueLine                     |            |      |           |           |         | ●       |           |         |
| TIVAR® Burnguard UHMW-PE            |            |      |           |           |         | ●(4)    |           | ●(4)    |
| TIVAR® Ceram P UHMW-PE              |            |      |           |           |         |         |           | ●       |
| TIVAR® CleanStat UHMW-PE            | ●          | ●    | ●(2)      |           |         |         |           |         |
| TIVAR® CleanStat White UHMW-PE      |            | ●    |           |           |         |         |           |         |
| TIVAR® DrySlide UHMW-PE             |            |      |           |           |         | ●       |           |         |
| TIVAR® Cestidur UHMW-PE             | ●          | ●    |           |           |         |         |           | ●       |
| TIVAR® DS UHMW-PE                   | ●          | ●    |           |           |         |         |           |         |
| TIVAR® ECO black antistatic UHMW-PE |            |      |           |           |         |         |           |         |
| TIVAR® ECO green UHMW-PE            |            |      |           |           |         |         |           |         |
| TIVAR® H.O.T. UHMW-PE               | ●          | ●    | ●(2)      |           |         | ●       | ●         |         |
| TIVAR® HPV UHMW-PE                  | ●          | ●    |           |           |         |         | ●         |         |
| TIVAR® MD UHMW-PE                   | ●          | ●    |           |           |         |         |           |         |
| TIVAR® OilFilled UHMW-PE            |            | ●    |           |           |         |         |           |         |
| TIVAR® SuperPlus UHMW-PE            |            |      |           |           |         |         |           | ●       |
| TIVAR® TECH UHMW-PE                 |            |      |           |           |         |         |           |         |
| TIVAR® Cestigreen UHMW-PE           |            |      |           |           |         |         |           |         |
| QuickSilver®                        |            |      |           |           |         |         |           |         |
| QuickSilver®                        |            |      |           |           |         | ●       |           |         |
| Chirulen®                           |            |      |           |           |         |         |           |         |
| Chirulen® 1020                      |            |      |           |           | ●       |         |           |         |
| Chirulen® 1050                      |            |      |           |           | ●       |         |           |         |
| Extrulen™                           |            |      |           |           |         |         |           |         |
| Extrulen™ 1020                      |            |      |           |           | ●       |         |           |         |
| Extrulen™ 1050                      |            |      |           |           | ●       |         |           |         |
| PE 500                              |            |      |           |           |         |         |           |         |
| PE 500                              | ●(1)       | ●(1) |           |           |         |         |           |         |
| Borotron®                           |            |      |           |           |         |         |           |         |
| Borotron® HM015 HMW-PE              |            |      |           |           |         |         |           |         |
| Borotron® HM030 HMW-PE              |            |      |           |           |         |         |           |         |
| Borotron® HM050 HMW-PE              |            |      |           |           |         |         |           |         |
| Borotron® UH015 UHMW-PE             |            |      |           |           |         |         |           |         |
| Borotron® UH030 UHMW-PE             |            |      |           |           |         |         |           |         |
| Borotron® UH050 UHMW-PE             |            |      |           |           |         |         |           |         |

(1) = colour black is not compliant  
(2) = on demand

(3) = colour natural  
(4) = UL94 V-0 compliant

# www.quadrantplastics.com

## Quadrant Engineering Plastic Products Worldwide

### Europe

Quadrant EPP Europe N.V.  
Galgenveldstraat 12  
8700 Tielt, Belgium  
T +32[0] 51 42 35 11  
F +32[0] 51 42 33 10  
contact@qplas.com

### North America

Quadrant EPP USA, Inc.  
2120 Fairmont Avenue  
PO Box 14235 - Reading, PA 19612-4235  
T 800 366 0300 | +1 610 320 6600  
F 800 366 0301 | +1 610 320 6638  
americas.epp@qplas.com

### Asia-Pacific

Quadrant EPP Asia Pacific Ltd  
60 Ha Mei San Tsuen, Ping Shan  
Yuen Long - NT Hong Kong  
T +852 24702683  
F +852 24789966  
asia.epp@qplas.com

Belgium | Brazil | China | France | Germany | Hong Kong | Hungary | India | Italy | Japan | Korea | Mexico | Poland | South Africa  
Switzerland | The Netherlands | United Kingdom | United States of America



# QUADRANT

This brochure and any data and specifications presented here or on our website shall provide promotional and general information about the Engineering Plastic Products [the „Products“] manufactured and offered by Quadrant Engineering Plastic Products [„Quadrant“] and shall serve as a preliminary guide. All data and descriptions relating to the Products are of a general informational nature only. Neither this brochure nor any data and specifications presented on our website shall create or be implied to create any legal or contractual obligation. This brochure and any data or specifications herein do not create expressly or by implication any legal, contractual or warranty obligation whatsoever. No warranty of any kind, either express or implied, is made as to the information contained in these pages, including, but not limited to, all warranties provided for by Louisiana law, any implied warranty of merchantability, of fitness for a particular purpose, and any warranty against hidden defects or redhibitory defects or vices. No information in this brochure creates any express or implied warranty that the goods described herein shall conform to any description herein. Quadrant sells the products described herein solely to sophisticated users and not to consumers, and Quadrant assumes no responsibility that any goods described herein will be fit for any particular purpose for which a Quadrant customer may determine to purchase such goods, except and to the sole extent otherwise provided in a separate written contract.

Any illustration of the possible fields of application of the Products shall merely demonstrate the potential of these Products, but any such description does not constitute any kind of covenant or warranty whatsoever. Irrespective of any tests that Quadrant may have carried out with respect to any Product, Quadrant does not possess expertise in evaluating the suitability of its materials or Products for use in specific applications or products manufactured or offered by the customer respectively. It thus remains the customer's sole responsibility to test and assess the suitability and compatibility of Quadrant's Products for its intended applications, processes and uses, and to choose those Products that according to its assessment meet the requirements applicable to the specific use of the finished product. The customer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, or any consequence thereof, and shall verify its quality and other properties. Quadrant's Products should not be used for applications involving medical devices that are intended to remain implanted in the human body continuously for a period exceeding 24 hours [30 days\*], or are intended to remain in contact with internal human tissue or bodily fluids for more than 24 hours (30 days\*), or as critical components of medical devices that are essential to the continuation of human life.

\*: „30 days“ applies to Ketron® CLASSIX™ LSG PEEK white only.

Quadrant is not a medical device manufacturer and the information herein does not constitute any express or implied warranties or representations whatsoever, including, but not limited to, all warranties provided for by Louisiana law, any implied warranty of merchantability, of fitness for a particular purpose, any warranty against hidden defects or redhibitory defects or vices, or that Quadrant's materials are manufactured in accordance with the quality standards appropriate and necessary for materials intended for use in implantable medical device applications and in applications that are essential to the restoration of or continuation of a bodily function important to the continuation of human life.

Acetron®, Chirulen®, Duratron®, Ertacetal®, Ertalon®, Ertalyte®, Extrulen™, Fluorosint®, Ketron®, Nylatron®, Proteus®, Quadrant®, QuickSilver®, Semitron®, Techtron® and TIVAR® are registered trademarks of the Quadrant Group.  
PEEK-CLASSIX™ is a registered trademark of Invibio Inc.

This guide was created by Quadrant Engineering Plastic Products. Design and content are protected by copyright law. Copyright© 2018 The Quadrant group of companies. All rights reserved.